

## All About Gaming

Inspiziert von den strengen Qualitätstests bei der Produktion ist das Design der MSI G-Serie voller Symbolkraft und steht für Robustheit und Langlebigkeit. Um ein qualitativ hochwertiges Benutzererlebnis zu bieten, verfügt die G-Serie außerdem über einen wirklich einfachen Installationsprozess und eine benutzerfreundliche Menüoberfläche und ist die beste Wahl für Einsteiger, um mit dem Gaming zu beginnen.



## SELLING POINTS

- Rapid IPS Panel - Bietet eine schnelle GtG-Reaktionszeit von 1 ms und optimiert die Bildschirmfarben und -helligkeit
- 180Hz Bildschirmwiederholungsrate - Richtig flüssiges Gaming
- 1ms Reaktionszeit - verhindere Tearing und ruckelnde Framerates
- Night Vision - erkenne jedes Detail, selbst in dunklen Umgebungen. So kannst du Feinde finden und angreifen, bevor sie dich bemerken
- Große Farbabdeckung - Farben und Details sehen realistischer und schöner aus, wodurch neue Level an Immersion erreicht werden
- Randloses Design - Ultimative Gameplay-Erfahrung
- Anti-Flicker und Less Blue Light - spiele noch länger ohne schmerzende Augen oder Müdigkeit
- 178° Blickwinkel



1. 5-Wege Joystick Navigation
2. 2 x HDMI™ (2.0)
3. 1 x Display Port (1.2a)
4. Kopfhörerausgang
5. Stromanschluss
6. Kensington lock

## SPECIFICATION

Model	SKU Number	9S6-3CC2CH-268
	Entity MKT Name	G274FDE
	Part No	9S6-3CC2CH-268
	Color	ID1/Black-Black
	MKT Name	G274F
	MKT Spec	G274F
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.6(H)x336.15(V)
	Curvature	Flat
	Panel Type	Rapid IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch (mm)	0.31125(H)x0.31125(V)
	Aspect Ratio	16:9
	Dynamic Refresh Rate technology	G-SYNC Compatible
	Dynamic Refresh Rate Activated Range	48~180
	HDR (High dynamic range)	HDR Ready
	SDR Brightness (nits)	250
	Contrast Ratio	1000:1
	DCR (Dynamic Contrast Ratio)	100000000:1
	Signal Frequency	31~201 KHz(H) / 48~180 Hz(V)
	Refresh Rate	180Hz
	Response Time (MPRT)	1ms(MPRT)
	Response Time (GTG)	1ms (Min.)
	View Angles	178°(H)/178°(V)
	NTSC (CIE1976 area percentage/overlap)	117%/90%
	NTSC (CIE1931 area percentage/overlap)	97%/87%
	sRGB (CIE1976 area percentage/overlap)	134%/99%
	sRGB (CIE1931 area percentage/overlap)	137%/99%
	Adobe RGB (CIE1976 area percentage/overlap)	115%/94%
	Adobe RGB (CIE1931 area percentage/overlap)	101%/90%
	DCI-P3 (CIE1976 area percentage/overlap)	107%/98%
	DCI-P3 (CIE1931 area percentage/overlap)	101%/96%
	Rec.709 (CIE1976 area percentage/overlap)	134%/99%
Rec.709 (CIE1931 area percentage/overlap)	137%/99%	
Rec.2020 (CIE1976 area percentage/overlap)	78%/77%	
Rec.2020 (CIE1931 area percentage/overlap)	72%/72%	
Surface Treatment	Anti-glare	
Display Colors	16.7M	
Color bit	8 bits (6 bits + FRC)	
Schnittstellen	Headphone-out	1
	Card reader	N/A
	Lock type	Kensington Lock
	HDMI	2
	HDMI version	2.0
	HDMI HDCP version	2.3
	DisplayPort	1
	DisplayPort version	1.2a
	DisplayPort HDCP version	2.3
Schnittstellen (Rückseite)	Card Reader	N/A
Garantie	Warranty	36 Monate Pick-Up & Return
Abmessungen & Gewicht	Inside Carton Dimension (WxDxH) (inch)	30.2 x 5.71 x 18.23
	Weight (Net kg)	5.3
	Weight (Gross kg)	7.2

Power	Power Type	External Adaptor 12V 3A
	Power Input	100~240V, 50/60Hz
	On-mode Power Consumption (KWh/1000h)	21W
	Annual Energy Consumption (KWh)	21W
	Standby-mode Power Consumption (W)	0.5
	Off-mode Power Consumption (W)	0.3
	Energy Efficiency Rating	E
	Power Cord Type	C13
	Adapter's KC safety Number	N/A
	QC Output Power	N/A
	PD Output Power	N/A
Zubehör	DisplayPort Cable	0
	HDMI Cable	1
	DVI Cable	0
	USB Type A to Type B Cable	0
	USB Type C to Type A Cable	0
	USB Type C to Type C Cable	0
	Thunderbolt Cable	0
	VGA Cable	0
	3.5mm audio Cable	0
	3.5mm combo audio Cable	0
	3.5mm Mic Cable	0
	Power Cord	1
	AC Adaptor	1
	Quick Guide	1
	Warranty Card	0
	Mouse Bungee Unit	0
	Switch Case	0
	Portable Screen Protection Case	0
	Monitor Hood	0
	Speaker (Accessories)	0
VESA Screw	4	
Design	Adjustment (Tilt)	-5° ~ 20°
	VESA Mounting	75x75mm
	Frameless Design	Yes
Abmessungen & Gewicht (Product)	Product Dimension with Stand (WxDxH) (mm)	613.5 x 231.9 x 472.0
	Product Dimension without Stand (WxDxH) (mm)	613.5 x 69.8 x 362.5
	Stand Dimension (WxDxH) (mm)	255.2 x 231.9 x 337.4
	Weight (Net kg)	5.3
	Weight Without Stand (kg)	3.95
Abmessungen & Gewicht (Verpackung)	Inside Carton Dimension (WxDxH) (cm)	76.7 x 14.5 x 46.3
	Outer Carton Dimension (WxDxH) (cm)	72.8 x 15.8 x 48.7
	Weight (Gross kg)	7.2
Verpackung	Outer Carton Dimension (WxDxH) (inch)	28.66 x 6.22 x 19.17
Gewicht	Weight Without Stand (kg)	3.95
Produktmaße mit Standfuß	Product Dimension with Stand (WxDxH) (mm)	613.5 x 231.9 x 472.0
	Product Dimension with Stand (WxDxH) (inch)	24.15 x 9.13 x 18.58
Standfuß	Stand Dimension (WxDxH) (mm)	255.2 x 231.9 x 337.4
	Stand Dimension (WxDxH) (inch)	10.05 x 9.13 x 13.28
Produktmaße ohne Standfuß	Product Dimension without Stand (WxDxH) (mm)	613.5 x 69.8 x 362.5
	Product Dimension without Stand (WxDxH) (inch)	24.15 x 2.75 x 14.27
Barcode Info	EAN	4711377157490
	UPC	824142343487
	UCC14	10824142343484