

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

**KNAUF INSULATION SDN. BHD.
LOT PLO 157, JALAN TERUNTUM 4
TANJUNG LANGSAT INDUSTRIAL AREA
81700 PASIR GUDANG
JOHOR, MALAYSIA**

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

INSULATION MATERIALS (MINERAL WOOL)

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

MS 1020 : 2022



Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

KNAUF INSULATION SDN. BHD.



Trade Mark : Company ID: KNAUF INSULATION SDN BHD
Model : Slab
Rating : Nominal density: (16, 20, 24, 32 & 48) kg/m³
Fire Propagation Index: 2.4, 3.1
Surface Spread of Flame: Class 1
Fire Classification: CLASS 0 & NON-COMBUSTIBLE
Type : Glasswool
Size : Thickness: (50 - 100) mm
Width: (0.40 - 0.61) m
Length: (1.2 - 2.7) m
Test Report No.: 2025CB0539, 2025FE0865, 2025FE0866, 2025FE0870, 2025FE0871, 2025FE0907, 2025FE0908

Trade Mark : Company ID: KNAUF INSULATION SDN. BHD.
Model : Roll
Rating : Nominal density: (16, 24 & 32) kg/m³
Fire Propagation Index: 3.4, 2.2, 4.0
Surface Spread of Flame: Class 1
Fire Classification: CLASS 0 & NON-COMBUSTIBLE
Type : Glasswool
Size : Thickness: 25 mm; (24 & 32) kg/m³, (50 – 100) mm; (16, 24 & 32) kg/m³
Width: (0.6 - 1.22) m
Length: (4.1 - 25) m
Test Report No.: 2023CB0739, 2025CB0539, 2025FE0867, 2025FE0868, 2025FE0869, 2025FE0872, 2025FE0873, 2025FE0874, 2025FE0909, 2025FE0910, 2025FE0911

TEST REPORT NO. : 2025FE0870, 2025FE0871, 2025FE0907, 2025FE0908,
2025FE0867, 2025FE0868, 2025FE0866, 2025FE0865,
2025CB0539, 2025FE0869, 2025FE0909, 2025FE0910,
2025FE0872, 2025FE0873, 2025FE0874, 2025FE0911,
2023CB0739

End of page