

Revision date 13/11/2024
Revision 5.1
Supersedes date 05/11/2024



SAFETY DATA SHEET

Glass Mineral Wool with ECOSE® Technology

A safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name Glass Mineral Wool with ECOSE® Technology

Product number KI_DP_101

Other means of identification None.

Synonyms; trade names Earthwool®, Earthwool® glasswool, ecoinsulation®, Knauf Insulation

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Thermal and/or acoustic insulation for use in :
Technical applications, industrial applications and in building construction.

Details of the supplier of the safety data sheet

Supplier PO Box 244 Cannon Hill
Brisbane QLD 4170
Australia

www.knauf.com/en-NZ/knauf-insulation
sds@knaufinsulation.com

Region New Zealand

Country Contact tech.nz@knaufinsulation.com

Emergency telephone number

Emergency telephone Tel +61 (0) 7 3393 7300
(Monday - Friday - 08:00 hrs - 17:00 hrs)

SECTION 2: Hazards identification**Classification of the substance or mixture**

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified

Classification according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) 3rd Rev. Ed.

Classification according to GHS Not Classified

Label elements

Hazard statements	Not Classified
Contains	None.
Hazard pictogram	None.
Signal word	None.
Precautionary statements	None.
Supplemental label information	None.

Other hazards

Physical hazards	None.
Health hazards	Mechanical irritation of the skin, eyes and upper respiratory system.
Environmental hazards	None.
Most important symptoms/effects	Mechanical irritation of the skin, eyes and upper respiratory system.

Persistent Bioaccumulative Toxic Not relevant

SECTION 3: Composition/information on ingredients**Mixtures****Low bio persistence glass mineral wool (1)****87 - 100%**

CAS number:	—
Classification	Not Classified

Ingredient notes (1) 650-016-00-2 - Man made vitreous (silicate) fibres with random orientation with alkaline oxide and alkali earth oxide (Na₂O+K₂O+CaO+MgO+BaO) content greater than 18% by weight meeting the requirements of Note Q of regulation n° 1272/2008 and therefore not classified as carcinogenic.

Thermo set, inert polymer bonding agent derived from plant starches**0 - 13%**

CAS number:	—
Classification	Not Classified

Full text of R-phrases: see section 16

Other information Possible facing or encapsulation materials: glass veil, or polyester mat or aluminium or Kraft paper or woven glass fabric or encapsulated in low density polyethylene (LDPE) and metallised LDPE film.

SECTION 4: First aid measures**Description of first aid measures**

General information Show this Safety Data Sheet to the medical professional in attendance. If symptoms occur, follow first aid measures as appropriate.

Inhalation	Remove from exposure. Rinse the throat and clear dust from airways.
Ingestion	Wash out mouth with water and afterwards drink plenty of water
Skin contact	If mechanical irritation occurs, remove contaminated clothing and wash skin gently with cold water and soap.
Eye contact	Rinse abundantly with water for at least 15 minutes.

Most important symptoms and effects, both acute and delayed

General information Mechanical irritation of the skin, eyes and upper respiratory system.

Indication of any immediate medical attention and special treatment needed

General information If any adverse reaction or discomfort continues from any of the above exposures, seek professional medical advice.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Water, foam, carbon dioxide (CO₂), and dry powder.

Unsuitable extinguishing media None.

Special hazards arising from the substance or mixture

General information Products do not pose a fire hazard in use; however, some packaging materials or facings may be combustible. Products of combustion from product and packaging – carbon dioxide, carbon monoxide and some trace gases such as ammonia, nitrogen oxides and volatile organic substances.

Advice for firefighters

General information In large fires in poorly ventilated areas involving packaging materials respiratory protection / breathing apparatus may be required.

Hazchem code Not applicable

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Minimise direct contact with skin in order to prevent mechanical itching. In dusty environments, use suitable respiratory protection such as 3M 8210, N95 or equivalent. Use glasses or goggles when working with mineral wool insulation above shoulder height or in dusty environments. Where possible, use natural ventilation during installation in order to minimise dust levels.

After contact with the product, rinse skin in cold water to reduce potential effects of mechanical itching. Dispose of surplus product in accordance with local regulations.

Emergency procedures Use personal protection recommended in Section 8 of the SDS.

Environmental precautions

Environmental precautions Not relevant

Methods and material for containment and cleaning up

Methods for cleaning up Vacuum cleaner or dampen down with water spray prior to brushing up.

Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Usage precautions Assure proper respiratory protection if potential dust exposure exceeds occupational exposure limits.

Conditions for safe storage, including any incompatibilities

Storage precautions To ensure optimum product performance; when packaging is removed or opened; products should be stored inside or covered to protect them from ingress of rain water or snow. Storage arrangements should ensure stability of stacked products and use on a first in first out basis (FIFO) is recommended.

Specific end use(s)

Specific end use(s) Thermal and/or acoustic insulation for use in :Technical applications, industrial applications and in building construction.

SECTION 8: Exposure Controls/personal protection

Control parameters

Occupational exposure limits **Low bio persistence glass mineral wool**

Workplace Exposure Standards: Long-term exposure limit (8-hour TWA) 2 mg/m³

Any MMVF that meet the requirements of Note Q in EC Regulation No. 1272/2008 page 353/335 are exempted from mandatory classification as a carcinogen under the Globally Harmonized System for Classification and Labelling of Chemicals (GHS). Note IARC has classified mineral wools (glass wool, rock wool (stone wool), slag wool and continuous glass filament) as IARC Category 3: not classifiable as to carcinogenicity in humans.

Exposure limit values have been established by many authorities. Check on limit values that apply in your local situation

Exposure controls/personal protection

Appropriate engineering controls Maintain sufficient mechanical or natural ventilation to assure fiber concentrations remain below PEL/TLV. Use local exhaust if necessary. Power equipment should be equipped with properly designed dust collection devices.

Eye/face protection Use glasses or goggles when working with mineral wool insulation above shoulder height or in dusty environments.

Other skin and body protection Minimize direct contact with skin in order to prevent mechanical itching.

Hygiene measures After contact with the product, rinse skin in cold water to reduce potential effects of mechanical itching.

Respiratory protection In dusty environments, use suitable respiratory protection.

Environmental exposure controls Not relevant

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Solid. Rolls. Panel. Batts. Loose fibre.

Colour Brown

Odour Not relevant

Odour threshold No data available.

pH Not relevant

Melting point	Not relevant
Initial boiling point and range	Not relevant
Flash point	Not relevant
Evaporation rate	Not relevant
Flammability (solid, gas)	Not relevant
Upper/lower flammability or explosive limits	Not relevant
Vapour pressure	Not relevant
Vapour density	Not relevant
Relative density	7 - 96 kg/m ³
Solubility(ies)	Generally chemically inert and insoluble in water.
Auto-ignition temperature	Not relevant
Decomposition Temperature	Not relevant
Viscosity	Not relevant
Explosive properties	Not relevant
Oxidising properties	Not relevant
Other information	
Devitrification temperature	Not relevant
Softening temperature	Not relevant
Nominal diameter of fibres	3 - 5 µm
Length weight geometric mean diameter less 2 standard errors	< 6 µm
Orientation of fibres	Random
Biopersistence	Weighted clearance half-life of fibres, with length greater than 20 µm after inter-tracheal instillation, is less than 40 days (results obtained from a test).

SECTION 10: Stability and reactivity

Reactivity	None.
Chemical stability	Binder will decompose above 200°C.
Possibility of hazardous reactions	None under normal use
Conditions to avoid	None under normal use
Incompatible materials	Hydrofluoric acid will react with and dissolve glass.
Hazardous decomposition products	None under normal use

Decomposition of binder above 200°C may produce carbon dioxide and some trace gases. The duration of release is dependant upon the thickness of the insulation, binder content and the temperature applied.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity (oral) - LD50 oral	No data were identified for the product as a whole. Data are for constituents: Biosoluble glass mineral wool - Not applicable. Thermo set, inert polymer bonding agent derived from plant starches. - Not applicable.
Acute toxicity (dermal) - LD50 dermal	No data were identified for the product as a whole. Data are for constituents: Biosoluble glass mineral wool - Not applicable. Thermo set, inert polymer bonding agent derived from plant starches. - Not applicable.
Acute toxicity (inhalation) - LC50 Inhalation	No data were identified for the product as a whole. Data are for constituents: Biosoluble glass mineral wool - Not applicable. Thermo set, inert polymer bonding agent derived from plant starches. - Not applicable.
Skin corrosion/irritation	May cause mechanical irritation to skin
Serious eye damage/irritation	May cause mechanical irritation to eyes.
Respiratory sensitisation	No data were identified for this product or its constituents.
Skin sensitisation	No data were identified for this product or its constituents.
Germ cell mutagenicity	
Genotoxicity - in vitro	No data were identified for this product or its constituents.
Genotoxicity - in vivo	No data were identified for this product or its constituents.
Carcinogenicity	These fibers have been tested according to the test protocol Methods for the Determination of the Hazardous Properties for Human Health of Man-Made Mineral Fibres April 1999 (EUR 18748 EN). The test results meet the requirements; thus this product is not classified as a carcinogen. None of the components of this product are listed as a carcinogen.
Reproductive toxicity	
Reproductive toxicity - Fertility	No data were identified for this product or its constituents.
Reproductive toxicity - development	No data were identified for this product or its constituents.
Specific target organ toxicity - single exposure	No data were identified for this product or its constituents.
Specific target organ toxicity - repeated exposure	No data were identified for this product or its constituents.
Aspiration hazard	Not relevant
Inhalation	Mechanical irritation to upper respiratory tract.
Ingestion	Non-hazardous when ingested.
Skin contact	Mechanical irritation to skin.
Eye contact	Mechanical irritation to eyes.
Most important symptoms/effects	Contact with skin, eyes and upper respiratory system may cause mechanical irritation. Biosoluble glass mineral wool is classified as a nuisance dust by OSHA.

SECTION 12: Ecological Information

Toxicity

This product is not ecotoxic to air, water or soil, by composition.

Persistence and degradability

Inert inorganic product with Thermo set, inert polymer bonding agent derived from plant starches; 0 - 1.3%

Bioaccumulative potential

No bioaccumulation potential

Mobility in soil

Not considered mobile.

Results of PBT and vPvB assessment

Not relevant

12.6. Endocrine disrupting properties

Not relevant

Other adverse effects

None known.

SECTION 13: Disposal considerations

Waste treatment methods

General information	Dispose of in accordance with regulations and procedures in force in country of use or disposal.
For residues	Dispose of in accordance with regulations and procedures in force in country of use or disposal.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Disposal methods	May be disposed in landfill.

SECTION 14: Transport information

General information	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
UN number	Not applicable
UN proper shipping name	Not applicable
Transport hazard class(es)	No transport warning sign required.
Packing group	Not applicable
Environmental hazards	
Environmentally hazardous substance/marine pollutant	None.
Special precautions for user	Not applicable
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations	<p>International agreements:</p> <p>Montreal Protocol (Ozone depleting substances): Not regulated.</p> <p>The Stockholm Convention (Persistent Organic Pollutants): Not regulated.</p> <p>The Rotterdam Convention (Prior Informed Consent): Not regulated.</p> <p>Basel Convention (Hazardous Waste): Not regulated.</p> <p>International Convention for the Prevention of Pollution from Ships (MARPOL): Not regulated.</p> <p>In accordance with industry practice, Knauf Insulation has decided to continue to provide its customers with the appropriate information for the purpose of assuring safe handling and use of mineral wool throughout the product life.</p>
-----------------------------	--

SECTION 16: Other information

Label in accordance with GHS: This product is not classified as hazardous.

General information	All products manufactured by Knauf Insulation are made of non-classified fibres and are certified by EUCEB.
----------------------------	---



EUCEB, European Certification Board of Mineral Wool Products - www.euceb.org. The EUCEB trademark certifies that the manufactured fibres have a chemical composition within the ranges of exonerated reference fibres, which have been tested according to the test protocol Methods for the Determination of the Hazardous Properties for Human Health of Man-Made Mineral Fibres April 1999 (EUR 18748 EN).

The mineral wool producers commit to EUCEB to:

- supply sampling and analysis reports established by laboratories recognized by EUCEB, proving that the fibres comply with one of the four criteria of exoneration described in Note Q,
- be controlled, twice per year, of each production unit by an independent third party recognized by EUCEB (sampling and conformity to the initial chemical composition),
- put in place procedures of internal self-control in each production unit.

Products meeting EUCEB certification requirements can be recognised by the EUCEB logo printed on the packaging.

Further information can be obtained from

www.euceb.org



www.knaufinsulation.com

Key literature references and sources for data

ChemAdvisor LOLI
Hazardous Substances Information System (HSIS)
European Chemicals Agency (ECHA) Dissemination Portal
European Certification Board for Mineral Wool Products (EUCEB)

Revision

13/11/2024

Supersedes date

05/11/2024

SDS number

KI_DP_101

Revision

5.1

Other information

In 2001, the International Agency for Research on Cancer (IARC) reclassified mineral wool fibres from Group 2B (possibly carcinogenic) to Group 3 «agent which cannot be classified as for their carcinogenicity to humans». (See Monograph Vol 81, <http://monographs.iarc.fr/>)

This Safety Data Sheet / Product Data Sheet does not constitute a workplace assessment. Information contained in this document represents the state of our knowledge regarding this product as of the date of issue of the document. Attention of users is drawn to possible risks taken when the product is used for other applications than the ones it has been designed for.