

Product Information

SP HIGH TECH 5W30



Description

SP HIGH TECH 5W30 is a premium semi synthetic motor oil formulated with high quality additives. It ensures engine protection, piston cleanliness, and wear protection. It reduces engine friction to provide enhanced fuel economy and reduces the occurrence of low speed pre-ignition (LSPI).

Applications

- All types of high-performance gasoline vehicles, in conventional and hybrid vehicles
- For gasoline and gas engines; also suitable for gasoline/ethanol blends

Meets Performance

API SP
ILSAC GF-6A

Features & Benefits

- Low Speed Pre-ignition (LSPI) reduction for engine durability
- Protects Turbocharged gasoline direct injection (T-GDI) engines and protection engine part
- Excellent protection sludge and deposit, keep clean and prolong engine life
- Exceptional piston cleanliness, help prevent blow by and maintains engine power
- Outstanding wear protection, help improve fuel efficiency and maximize engine life
- Reduced oil consumption

Typical Properties

Properties	Test Method	Typical value
Appearance	Visual	Bright & Clear
ASTM Color	ASTM D1500/D6045	L2.0
Density @15°C, g/cm ³	ASTM D4052	0.8594
Kinematic Viscosity @40°C, cSt	ASTM D445	59.83
Kinematic Viscosity @100°C, cSt	ASTM D445	9.882
Viscosity Index	ASTM D2270	151
Flash Point by COC, °C	ASTM D92	240
Pour Point, °C	ASTM D5950/6892/6749	-45
Total Base Number, mgKOH/g	ASTM D2896	7.0
Cold Cranking Simulator @ -30°C, mPas	ASTM D5293	6,295