<u>Bartoline</u>

SAFETY DATA SHEET WICKES ALL PURPOSE READY MIXED FILLER (TUBES) - SKU 600254

According to Regulation (EC) No 1907/2006 Annex II as amended by Regulation (EU) 2015/830.

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	WICKES ALL PURPOSE READY MIXED FILLER (TUBES) - SKU 600254	
REACH registration notes	No REACH Registration number required as this product is a mixture.	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	General Purpose Filler	
Uses advised against	Not to be used for making casts of body parts, during setting the product may heat up causing skin burns.	
1.3. Details of the supplier of the safety data sheet		
Supplier Contact person <u>1.4. Emergency telephone nu</u> Emergency telephone National emergency telephone number	Bartoline Limited Barmston Close Beverley East Yorkshire HU17 0LW 01482 678710 info@bartoline.co.uk HSE MANAGER mber 01482 678727 (0800-1700 Monday to Friday) or NHS 111 (General Public) (24 Hour service) e National Poisons Information Service (24hours) 0844 892 0111	
SECTION 2: Hazards identific	ration	
2.1. Classification of the subs		
Classification (EC/1272/2008)	-	
Physical hazards	Not Classified	
Health hazards	Not Classified	
Environmental hazards	Not Classified	

- 2.2. Label elements
- Hazard statements NC Not Classified

2.3. Other hazards

This product contains a small amount of a sensitising substance. May cause an allergic reaction in sensitive individuals.

SECTION 3: Composition/information on ingredients 3.2. Mixtures Composition comments A specially formulated filler containing natural minerals, rheology modifiers and organic polymers. This product does not contain any substances classified as Substances of Very High Concern (SVHCs). SECTION 4: First aid measures 4.1. Description of first aid measures IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR THE NHS General information 111 SERVICE. This is a non hazardous mixture and as such any ill health effects are unlikely to have been caused by contact with this product. Inhalation Unlikely route of exposure. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Ingestion Rinse out mouth and then drink plenty of water if person is conscious. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS. Get medical attention if a large quantity has been ingested. Skin contact It is unlikely that any adverse symptoms occur. Wash with warm soapy water. Remove contaminated clothing. Seek medical advice if irritation develops and persists. Eve contact Promptly wash eves with plenty of water while lifting the eve lids. Remove any contact lenses and open eyes wide apart. Rinse opened eye for several minutes under running water. Get medical attention if symptoms are severe or persist after washing. Protection of first aiders This is a non hazardous product and therefore no protection should be required, however consideration should be given to other contaminants in the workplace. 4.2. Most important symptoms and effects, both acute and delayed General information The product is considered to be a low hazard under normal conditions of use. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation General respiratory distress, unproductive cough. Ingestion Gastrointestinal symptoms, including upset stomach. Skin contact The product contains a small amount of sensitising substance. Prolonged skin contact may cause temporary irritation. May cause sensitisation or allergic reactions in sensitive individuals. Eye contact May cause temporary skin or eye irritation. Dust particles produced during sanding may cause irritation and smarting. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No specific chemical antidote is known to be required after exposure to this product. SECTION 5: Firefighting measures 5.1. Extinguishing media

Suitable extinguishing mediaThe product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing
mediaNone known.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous combustion products	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, oxides of nitrogen, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentrations.
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire vapours. Cool containers exposed to flames with water until well after the fire is out. Keep run-off water out of sewers and water sources. Dike for water control. Containers close to fire should be removed or cooled with water.
Special protective equipment for firefighters	In case of a large fire or in confined or poorly ventilated spaces, wear full fire resistant protective clothing and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	No action shall be taken without appropriate training or involving any personal risk.
For non-emergency personnel	Do not touch spilled material or walk into the spillage area.
For emergency responders	Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards. For waste disposal, see section 13.
6.2. Environmental precaution	S
Environmental precautions	As this product is only supplied in small quantities there is a low risk of any environmental damage.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	This product is a viscous paste and will not travel if accidently released. Scrape up uncured product and place into a container for disposal. Alternatively, allow to set hard and scrape up.
6.4. Reference to other section	ns
Reference to other sections	For waste disposal, see section 13. See section 11 for additional information on health hazards. Wear protective clothing as described in Section 8 of this safety data sheet.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Avoid eating, drinking and smoking when using the product. Avoid contact with skin and eyes. Read label before use. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Avoid inhalation of dust. If sanding is required the use of a disposable dust mask is recommended.
Advice on general occupational hygiene	Persons susceptible to allergic reactions should not handle this product. When using do not eat, drink or smoke. Remove contaminated clothing and protective equipment before entering

eating areas. Wash at the end of each work shift and before eating, smoking and using the

toilet. Use appropriate hand lotion to prevent defatting and cracking of skin.

Storage precautions	No special restrictions on storage with other products. Store at temperatures between 5°C and 25°C. Keep only in the original container.
Storage class	Unspecified storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
Usage description	Always follow on pack instructions when using this product. People with sensitive skin should wear rubber protective gloves. Ensure adequate ventilation of work area and prevent build up of dust. If this is not possible then suitable extraction should be employed near to the emission point. When sanding cured product avoid prolonged inhalation of dust, if it is expected that sanding will be required for long period the use of a dust mask is recommended.

7.2. Conditions for safe storage, including any incompatibilities

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

There are no occupational exposure limits for the product as a whole. See information for listed hazardous ingredients.

Dolomite

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Short-term exposure limit (15-minute): WEL 4 mg/m³ respirable dust

Limestone

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust WEL = Workplace Exposure Limit

Ingredient comments There is no data for the product as a whole, see comments on individual constituents.

Dolomite (CAS: 16389-88-1)

DNEL	The available hazard data does not support the need for any DNEL's
PNEC	No data available from supplier MSDS or REACH Registration portal.
	Limestone (CAS: 1317-65-3)
DNEL	No data available from supplier MSDS or REACH Registration portal.
PNEC	No data available from supplier MSDS or REACH Registration portal.
posure controls	

8.2. Exposure controls



Appropriate engineering controls

This product is supplied in ready to use tubes and when used correctly poses very little risk to man. Protective engineering solutions should be implemented, and in use, before Personal Protective Equipment (PPE) is considered. This product must not be handled in a confined space without adequate ventilation. Use mechanical ventilation if there is a risk of handling causing formation of airborne dust. Ensure that the direction of airflow is clearly away from the worker. Observe any occupational exposure limits for the product or ingredients. Good general ventilation should be adequate to control worker exposure to airborne contaminants.

Personal protection	This product is supplied in ready to use tubs, and when used correctly, poses very little risk to man or the environment.
Eye/face protection	Wear EN 166 approved chemical safety goggles where eye exposure is reasonably probable.
Hand protection	Although the product is not classified as a skin irritant, the wearing of gloves is recommended for people with sensitive skin or for prolonged or repeated use. Wear protective gauntlets made of the following material: Leather. Polyvinyl chloride (PVC).
Other skin and body protection	Given the identified use of the product additional skin and body protection should not be required.
Hygiene measures	Persons susceptible to allergic reactions should not handle this product. Wash hands at the end of each work shift and before eating, smoking and using the toilet.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. Respirator selection must be based on exposure levels, the hazards of the product and the safe working limits of the selected respirator. If sanding is required the use of a dust mask is recommended. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405. Particulate filter, type P1.
Thermal hazards	Not Applicable

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic phys	ical and chemical properties
Appearance	Paste.
Colour	White/off-white.
Odour	Barely perceptible.
Odour threshold	No information available.
рН	pH (concentrated solution): 7.6 - 8.6
Melting point	Not available.
Initial boiling point and range	100 (°C)
Flash point	>100 (°C)
Evaporation rate	Not available.
Evaporation factor	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Other flammability	Not applicable.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	1.5 - 1.7
Bulk density	Not applicable.
Solubility(ies)	Completely soluble in water.
Partition coefficient	Not available.

Auto-ignition temperature	Not available.	
Decomposition Temperature	Not available.	
Viscosity	2500 - 2800 (Helipath TF/Sp10)	
Explosive properties	Not considered explosive based on chemical structure and oxygen balance considerations.	
Oxidising properties	This product is not considered oxidising based on chemical structure considerations.	
Comments	Information given is applicable to the product in its ready-to-use form. Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.	
9.2. Other information		
Volatility	Water based.	
Volatile organic compound	There are no VOCs present.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended. No particular stability concerns.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid freezing. There are no known conditions that are likely to result in a hazardous situation.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition	on products	
Hazardous decomposition	None at ambient temperatures. In case of fire irritating fumes and smoke will be evolved.	

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects		
Toxicological effects	The product has been assessed following the conventional method and is classified for toxicological hazards accordingly. This product has low toxicity. Only large volumes may have adverse impact on human health.	
Skin corrosion/irritation Skin corrosion/irritation	Not irritating., Prolonged skin contact may cause temporary irritation., (Mixture as a whole)	
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met. (Mixture as a whole) Although not classified as an eye irritant, contact with the eyes may cause slight irritation and redness.	
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met. (Mixture as a whole)	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met. (Mixture as a whole)	
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met. (Mixture as a whole)	
Genotoxicity - in vivo	Based on available data the classification criteria are not met. (Mixture as a whole)	
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met. (Mixture as a whole)	
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met. (Mixture as a whole)	
Reproductive toxicity - development	Based on available data the classification criteria are not met. (Mixture as a whole)	
Specific target organ toxicity -	single exposure	
STOT - single exposure	Based on available data the classification criteria are not met. (Mixture as a whole)	
Specific target organ toxicity - I	repeated exposure	
STOT - repeated exposure	Based on available data the classification criteria are not met. (Mixture as a whole)	
Aspiration hazard Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure. (Mixture as a whole)	
General information	Only large quantities are likely to have adverse effects on human health. This product has low toxicity.	
Inhalation	This product is not classified as hazardous. If sanding is required after the product has cured then there is a dust hazard. Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.	
Ingestion	Ingestion of large amounts may cause soreness and redness of the mouth and throat.	
Skin contact	May cause defatting of the skin but is not an irritant.	
Eye contact	This mixture does not meet the EU criteria for classification. Any eye contact may cause a burning feeling and temporary redness.	

Acute and chronic health hazards	Prolonged or repeated exposure may cause the following adverse effects: May cause skin sensitisation or allergic reactions in sensitive individuals.	
Route of entry	Skin and/or eye contact	
Target organs	Eyes Skin	
Medical symptoms	Allergies.	
Medical considerations	The following pre-existing or historic medical conditions of the worker may lead to an increased risk of adverse health effects following exposure to this product: Allergies. Chronic respiratory and obstructive airway diseases.	
SECTION 12: Ecological Info	rmation	
Ecotoxicity	The product is not expected to be hazardous to the environment. However, large or frequent spills may have hazardous effects on the environment.	
12.1. Toxicity		
12.2. Persistence and degrad	Jability	
12.3. Bioaccumulative potent	ial	
Partition coefficient	Not available.	
12.4. Mobility in soil		
Mobility	The product is water-soluble and may spread in water systems.	
12.5. Results of PBT and vPv	vB assessment	
Results of PBT and vPvB assessment	This mixture contains no substances considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	
12.6. Other adverse effects		
Other adverse effects	The main ingredients of this products are minerals. In solid state these minerals are a major part of the rocks of the earth's surface.,They are dissolved in a natural state and indispensable part of the natural waters.,These minerals are not biodegradable.,Negative effects on the environment should therefore be excluded. Restrictions may be indicated that concentrated suspensions these minerals in natural waters may have an unfavorable effect on water organisms (disturbance of the micro flora and -fauna in the sediment and subsequent detriment to the existence of higher water organisms).	
SECTION 13: Disposal consi	SECTION 13: Disposal considerations	
13.1. Waste treatment metho	<u>ids</u>	
General information	The generation of waste should be minimised or avoided wherever possible. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Dispose of waste to licensed waste dispaced aits in accordance with the requirements of the least Waste Disposed Authority.	

Disposal methods Used empty containers can be left to set hard and be disposed of as non hazardous waste. For unused and uncontaminated product the preferred options include sending to a licensed waste contractor. Reuse or recycle products wherever possible. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Waste class The following EU Waste Catalogue codes are applicable to this product: Part-used containers should be disposed of using waste code: EU Waste Code 08 04 10: Waste adhesives and sealants other than those mentioned in 08 04 09. Empty plastic containers can be disposed of using EU Waste code 15 01 02 plastic packaging. It is usually obvious if a container is 'empty', for example a half empty tin of solidified paint is not empty, but where there is a small amount of residual material a container will not be empty if that residual material can be removed by physical or mechanical means by applying normal industry standards or processes. This means that all reasonable efforts must have been made to remove any left-over contents from the container. This may involve for example washing, draining or scraping. The method of emptying will depend on the container and the type of material it contains. Note: if the design of the packaging, its aperture, or the adherent nature of the material does not permit it to be emptied then it will not be a packaging waste. If a container is not 'empty' it is not packaging waste. It should be classified on the basis of its contents and the source or activity that produced it.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and en	vironmental regulations/legislation specific for the substance or mixture
National regulations	 Users of this product are reminded of their duties under the current Control of Substances Hazardous to Health Regulations and a suitable and sufficient assessment of all the risk should be undertaken before using this product. The guidelines given in the HSE publication COSHH ESSENTIALS - Easy Steps To Control Chemicals gives sound advice for deciding safe working control measures. Control of Substances Hazardous to Health Regulations 2002 (as amended). EH40/2005 Workplace exposure limits. The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Guidance	Labelling and Packaging in accordance with Regulation (EC) No 1272/2008. Workplace Exposure Limits EH40.
Authorisations (Title VII Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Title VIII Regulation 1907/2006)	No specific restrictions on use are known for this product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
General information	Only trained personnel should use this material.
Training advice	The information on directions for use can be found on the product label. It is important to ensure that anyone using this product in the workplace has been adequately trained and in particular: The use of personal protective equipment, methods of cleaning up and disposal of waste. The basic first aid arrangements.
Revision comments	DUE TO CHANGE OF CLASSIFICATION DATABASE THE REVISION NUMBERING HAS BEEN RESET. You should therefore look at the revision date rather than the revision number to ensure you have the most up to date version. NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	26/04/2016
Revision	1
SDS number	4983

The information contained in this data sheet is provided in accordance with the requirements of the Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP). The product should not be used for purposes other than those shown in Section 1.2. As the specific conditions of use are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet is based on the present knowledge and the current EU and UK Legislation. It provides guidance on health, safety and environmental aspects of the product and should not be taken as a product specification. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.