

From tub to wall

- Ready-mixed application
- Smooth paint-ready finish
- Repairs walls & ceilings
- 12 month shelf life

Knauf Easy Plaster

Lightweight, ready-mixed plaster for repairing walls and ceilings

Build for the world we live in

Knauf Easy Plaster

A lightweight ready-mixed plaster designed for small and large repairs to walls and ceilings.

Knauf Easy Plaster quickly and effectively smooths over cracks and holes up to 40mm deep, providing a hard yet flexible surface that can be painted or wallpapered over once dry.

Knauf Easy Plaster is perfect for

- ✓ Repairs around pipes and electrical fittings
- ✓ Filling surface cracks and holes
- ✓ Levelling uneven areas
- ✓ Skimming over existing plaster to a smooth finish

Knauf Easy Plaster can be used over

- ✓ Plaster
- ✓ Internal renders
- ✓ Brick
- ✓ Stone

Product Information

Drying time: Approx. 24 hours


Coverage: 0.75m^2 per litre at a depth of 6mm

Depth up to 20mm: One-coat application

Depth from 20mm to 40mm: Two-coat application

Sizes available: 6 Litre & 2.5 Litre

Shelf life: 12 months





Four easy steps to the perfect finish

1. Open the Knauf Easy Plaster tub and stir well.
2. Apply evenly using a trowel or spatula.
3. Use a clean finishing trowel or spatula to smooth over to a flat surface finish.
4. Allow to dry.

If required sand to a smooth finish.
For full preparation and application details see tub instructions.











Customer Service
UK Freephone: 0800 521 050
UK Freefax: 0800 521 205
Eire Tel: 01 4620739
Eire Fax: 01 4620745
Email: cservice@knauf.co.uk

Technical Service
UK Tel: 01795 416 259
Eire Tel: 01 4620739
Email: technical@knauf.co.uk

Literature
UK Tel: 08700 613 700
Eire Tel: +44 8700 613 700

Website
www.knauf.co.uk
www.knauf.ie

Knauf
Kemsley Fields Business Park
Sittingbourne
Kent ME9 8SR

Knauf
87 Broomhill Road
Tallaght
Dublin 24

Knauf Factory Locations
Ridham Dock
Sittingbourne
Kent

Queens Road
Immingham
N.E. Lincolnshire



© Copyright Knauf 2012

The information given in this publication is believed to be current and accurate as at the date of publication, but no warranty, express or implied is given. Updates will not be automatically issued.

recycle
When you have finished with this document please recycle it

This document is printed on 80% recycled paper